



QUICK 5% EC

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 12-05-2014

Revision date: 09-01-2015

Supersedes: 12-05-2015

Version: 1.1/EN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : QUICK 5% EC
Name : Quizalofop-P-Ethyl 5% EC
Product code : SHA 2700 A

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Herbicide

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Sharda Cropchem Ltd. (formerly known as Sharda Worldwide Exports Pvt. Ltd.)
Domnic Holm, 29th Road, Bandra (West)
400050 Mumbai - India
T + 91 22 6678 2800 - F + 91 22 6678 2828
regn@shardaintl.com

1.4. Emergency telephone number

Emergency number : +91 22 6678 2800 (08-16h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Dam. 1 H318
STOT SE 3 H335
STOT SE 3 H336
Asp. Tox. 1 H304
Aquatic Acute 1 H400
Aquatic Chronic 1 H410

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xi; R37
Xi; R41
N; R50/53
R65
R66
R67

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

GHS08

GHS09

Signal word (CLP) : Danger

Hazardous ingredients : Solvent naphta light aromatic (low boiling point), butan-1-ol, n-butanol, calcium dodecylbenzenesulphonate, Hydrocarbons, C9, aromatics, Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts

QUICK 5% EC

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 2: Hazards identification (continued)

Hazard statements (CLP)	: H304 - May be fatal if swallowed and enters airways H318 - Causes serious eye damage H335 - May cause respiratory irritation H336 - May cause drowsiness or dizziness H410 - Very toxic to aquatic life with long lasting effects
Precautionary statements (CLP)	: P261 - Avoid breathing spray, vapours P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves, eye protection, face protection P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER, a doctor P331 - Do NOT induce vomiting P391 - Collect spillage P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant
EUH phrases	: EUH401 - To avoid risks to human health and the environment, comply with the instructions for use EUH066 - Repeated exposure may cause skin dryness or cracking

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
quizalofop-P-ethyl	(CAS No) 100646-51-3	5.3	N; R50/53	Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
Hydrocarbons, C9, aromatics	(EC no) 918-668-5	> 60	Xn; R65 Xi; R37 N; R51/53 R10 R66 R67	Flam. Liq. 3, H226 STOT SE 3, H335 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts	(EC no) 932-231-6	< 5	Xi; R41 Xi; R38	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
calcium dodecylbenzenesulphonate	(CAS No) 26264-06-2 (EC no) 247-557-8	< 5	Xi; R38 Xi; R41	Skin Irrit. 2, H315 Eye Dam. 1, H318
butan-1-ol, n-butanol	(CAS No) 71-36-3 (EC no) 200-751-6 (EC index no) 603-004-00-6	< 5	R10 Xn; R22 Xi; R41 Xi; R37/38 R67	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H336
Solvent naphta light aromatic (low boiling point)	(CAS No) 64742-95-6 (EC no) 265-199-0 (EC index no) 649-356-00-4	< 2	R10 Xn; R65 R66 R67 Xi; R37 N; R51/53	Flam. Liq. 3, H226 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Move the affected person to the fresh air. If not breathing, give artificial respiration. Call a doctor.
First-aid measures after skin contact	: Remove contaminated clothes. After contact with skin, wash immediately with plenty of water.
First-aid measures after eye contact	: Wash with plenty of water (during 20 minutes minimum) with eyes wide open after taking off soft contact lenses and immediately take medical advice.
First-aid measures after ingestion	: Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

QUICK 5% EC

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 4: First aid measures (continued)

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Carbon dioxide. Carbon monoxide. Nitrogen oxides. May release flammable gases.

5.3. Advice for firefighters

Firefighting instructions : Appropriate self-contained breathing apparatus may be required.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.
Other information : Do not allow material to contaminate surface water system.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing, gloves and eye or face protection. Chemical resistant gloves (according to European standard NF EN 374 or equivalent). EC EN 166 "3". Wear eye protection. Personal protective equipment. EN ISO 20345.
Emergency procedures : Evacuate personnel to a safe area.

6.1.2. For emergency responders

Protective equipment : Wear suitable hand, body and head protection.

6.2. Environmental precautions

Danger of pollution of drinking water when product enters the soil. Do not allow run-off from fire-fighting to enter drains or water courses. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Label the container and provide warning statements to prevent any contact.
Methods for cleaning up : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Clean spills promptly. Wash contaminated area with large amounts of water.

6.4. Reference to other sections

Reference to other sections (8, 13).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Do not allow run-off from fire fighting to enter drains or water courses. Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).
Precautions for safe handling : Avoid contact with skin and eyes. Do not eat, drink or smoke in areas where product is used. Wash hands and other exposed areas with soap and water before leaving work. Remove contaminated clothing and shoes. Wash clothing and equipment after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep only in the original container in a cool well ventilated place. Store in a dry, cool area. Protect from light.
Storage conditions : When not empty dispose of this container at hazardous or special waste collection point. Containers remain hazardous when empty. Continue to observe all precautions.

7.3. Specific end use(s)

No additional information available.

QUICK 5% EC

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection	: Chemical resistant gloves (according to European standard NF EN 374 or equivalent).
Eye protection	: EC EN 166 "3". Eye protection, including both chemical splash goggles and face shield, must be worn when possibility exists for eye contact due to spraying liquid or airborne particles.
Respiratory protection	: Extra personal protection: P2 filter respirator for harmful particles. Extra personal protection: P3 filter respirator for toxic particles.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow.
Odour	: strong.
Odour threshold	: No data available
pH	: 5.41
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 61 °C
Auto-ignition temperature	: 447 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.942 kg/l
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 1.9 - 2.3 mPa.s (40°C)
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing material according to EC criteria.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Fume. Carbon oxides (CO, CO₂). Nitrogen oxides.

QUICK 5% EC

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

QUICK 5% EC	
LD50 oral rat	> 2000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 6 mg/l/4h

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation. May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

quizalofop-P-ethyl (100646-51-3)	
LC50 fishes 1	0.21 mg/l
EC50 Daphnia 1	0.29 mg/l
ErC50 (algae)	0.021 mg/l

12.2. Persistence and degradability

quizalofop-P-ethyl (100646-51-3)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

quizalofop-P-ethyl (100646-51-3)	
Bioconcentration factor (BCF REACH)	380
Log Pow	4.61
Bioaccumulative potential	Not established.

12.4. Mobility in soil

QUICK 5% EC	
Surface tension	30.6 N/m

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.






QUICK 5% EC

Safety Data Sheet

according to Regulation (EC) No. 453/2010



SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
3082	3082	3082	3082	3082
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es)				
9	9	9	9	9
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes

14.6. Special precautions for user

14.6.1. Overland transport

Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 601
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	:  
Tunnel restriction code (ADR)	: E

14.6.2. Transport by sea

Special provisions (IMDG)	: 274, 335
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
Stowage category (IMDG)	: A

QUICK 5% EC

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 14: Transport information (continued)

14.6.3. Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158
ERG code (IATA)	: 9L

14.6.4. Inland waterway transport

Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 61
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Not subject to ADN	: No

14.6.5. Rail transport

Special provisions (RID)	: 274, 335, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90
Carriage prohibited (RID)	: No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Contains no substance on the REACH candidate list

Other information, restriction and prohibition regulations : according to Regulation (EC) No. 453/2010.

15.1.2. National regulations

Refer to protective measures listed in Sections 7 and 8

15.2. Chemical safety assessment

Relevant national legislation applicable may be found in the national MSDS.

QUICK 5% EC

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
R10	Flammable
R22	Harmful if swallowed
R37	Irritating to respiratory system
R37/38	Irritating to respiratory system and skin
R38	Irritating to skin
R41	Risk of serious damage to eyes
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R66	Repeated exposure may cause skin dryness or cracking
R67	Vapours may cause drowsiness and dizziness
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

Other data

Date of issue:	09.01.2015
Version:	1.1/EN
Replaces:	1/EN-A from 12.05.2014
Indication of changes:	Changes in Sections 1, 3 and 14.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product